

Author index

- Aihara, N., see Yamamoto, N. (90) 26
 Allen, J.M., see Bournat, J.C. (90) 149
 Artur, Y., see Heydel, J.-M. (90) 83
 Asai, K., see Yamamoto, N. (90) 26
- Bahl, R., Bradley, K.C., Thompson, K.J.,
 Swain, R.A., Rossie, S. and Meisel, R.L.
 Localization of protein Ser/Thr
 phosphatase 5 in rat brain (90) 101
 Barks, J.D.E., see Xu, H. (90) 57
 Baulieu, E.E., see Guennoun, R. (90) 75
 Benmessahel, Y., see Guennoun, R. (90) 75
 Bernard, P., see Heydel, J.-M. (90) 83
 Bingham, S., see Macdonald, R. (90) 48
 Bond, B.C., see Macdonald, R. (90) 48
 Bournat, J.C. and Allen, J.M.
 Regulation of the Y1 neuropeptide Y
 receptor gene expression in PC12
 cells (90) 149
 Bradley, K.C., see Bahl, R. (90) 101
 Brenz Verca, M.S., see Michna, L. (90) 68
 Broberger, C., see Sergeev, V. (90) 93
- Chao, S., see Sidiropoulou, K. (90) 187
 Chen, S., see Michna, L. (90) 68
- Delespierre, B., see Guennoun, R. (90) 75
 Dib-Hajj, S.D., see Ghassemi, F. (90) 118
 Dreyer, J.-L., see Michna, L. (90) 68
- Fashingbauer, L.A., see Kohen, R. (90) 110
 Finegold, A.A., Perez, F.M. and Iadarola, M.J.
 In vivo control of NMDA receptor
 transcript level in motoneurons by
 viral transduction of a short antisense
 gene (90) 17
 Fischmeister, R., see Medhurst, A.D. (90) 125
 Fry, M., Paterno, G. and Moody-Corbett, F.
 Cloning and expression of three K⁺
 channel cDNAs from *Xenopus* muscle
 (90) 135
 Fujita, M., see Yamamoto, N. (90) 26
 Fujita, Y., see Yamamoto, N. (90) 26
- Geller, A.I., see Yang, T. (90) 1
 Ghassemi, F., Dib-Hajj, S.D. and Waxman,
 S.G.
 $\beta 1$ adducin gene expression in DRG
 is developmentally regulated and is
 upregulated by glial-derived
 neurotrophic factor and nerve growth
 factor (90) 118
- Gotoh, T., see Kawahara, K. (90) 165
 Goudonnet, H., see Heydel, J.-M. (90) 83
 Gouézou, M., see Guennoun, R. (90) 75
 Gradinaru, D., see Heydel, J.-M. (90) 83
 Guennoun, R., Benmessahel, Y., Delespierre,
 B., Gouézou, M., Rajkowski, K.M.,
 Baulieu, E.E. and Schumacher, M.
 Progesterone stimulates Krox-20 gene
 expression in Schwann cells (90) 75
 Guthrie, C.R., see Kohen, R. (90) 110
- Hamblin, M.W., see Kohen, R. (90) 110
 Heidmann, D.E.A., see Kohen, R. (90) 110
 Heydel, J.-M., Leclerc, S., Bernard, P.,
 Pelczar, H., Gradinaru, D., Magdalou, J.,
 Minn, A., Artur, Y. and Goudonnet, H.
 Rat olfactory bulb and epithelium
 UDP-glucuronosyltransferase 2A1
 (UGT2A1) expression: in situ mRNA
 localization and quantitative analysis
 (90) 83
 Hökfelt, T., see Sergeev, V. (90) 93
- Iadarola, M.J., see Finegold, A.A. (90) 17
 Imai, Y., see Kawahara, K. (90) 165
 Itoh, M., see Miyata, S. (90) 39
- Jayanthi, S., see Thiriet, N. (90) 202
- Kajizono, M., see Kawahara, K. (90) 165
 Kato, T., see Yamamoto, N. (90) 26
 Katsuya, H., see Yamamoto, N. (90) 26
 Kawahara, K., Gotoh, T., Oyadomari, S.,
 Kajizono, M., Kuniyasu, A., Ohsawa, K.,
 Imai, Y., Kohsaka, S., Nakayama, H. and
 Mori, M.
 Co-induction of argininosuccinate
 synthetase, cationic amino acid
 transporter-2, and nitric oxide
 synthase in activated murine
 microglial cells (90) 165
 Kiyohara, T., see Miyata, S. (90) 39
 Kohen, R., Fashingbauer, L.A., Heidmann,
 D.E.A., Guthrie, C.R. and Hamblin, M.W.
 Cloning of the mouse 5-HT₂
 serotonin receptor and mutagenesis
 studies of the third cytoplasmic loop
 (90) 110
 Kohsaka, S., see Kawahara, K. (90) 165
 Kojima, T., Murai, K., Naruse, Y., Takahashi,
 N. and Mori, N.
 Cell-type non-selective transcription
 of mouse and human genes encoding
 neural-restrictive silencer factor (90)
 174
- Kuniyasu, A., see Kawahara, K. (90) 165
 Kuramoto, H., see Miyata, S. (90) 39
- Ladenheim, B., see Thiriet, N. (90) 202
 Leclerc, S., see Heydel, J.-M. (90) 83
 Lee, J., see Michna, L. (90) 68
 Lezoualc'h, F., see Medhurst, A.D. (90) 125
 Lu, W., see Sidiropoulou, K. (90) 187
 Lud Cadet, J., see Thiriet, N. (90) 202
- Macdonald, R., Bingham, S., Bond, B.C.,
 Parsons, A.A. and Philpott, K.L.
 Determination of changes in mRNA
 expression in a rat model of
 neuropathic pain by Taqman™
 quantitative RT-PCR (90) 48
 Magdalou, J., see Heydel, J.-M. (90) 83
 Malter, J.S., see Westmark, C.J. (90) 193
 Mase, M., see Yamamoto, N. (90) 26
 Matsunaga, W., see Miyata, S. (90) 39
 McCoy, M., see Thiriet, N. (90) 202
 Medhurst, A.D., Lezoualc'h, F., Fischmeister,
 R., Middlemiss, D.N. and Sanger, G.J.
 Quantitative mRNA analysis of five
 C-terminal splice variants of the
 human 5-HT₂ receptor in the central
 nervous system by TaqMan real time
 RT-PCR (90) 125
 Meisel, R.L., see Bahl, R. (90) 101
 Michna, L., Brenz Verca, M.S., Widmer,
 D.A.J., Chen, S., Lee, J., Rogove, J.,
 Zhou, R., Tsitsikov, E., Miescher, G.C.,
 Dreyer, J.-L. and Wagner, G.C.
 Altered sensitivity of CD81-deficient
 mice to neurobehavioral effects of
 cocaine (90) 68
 Middlemiss, D.N., see Medhurst, A.D. (90)
 125
 Miescher, G.C., see Michna, L. (90) 68
 Minn, A., see Heydel, J.-M. (90) 83
 Miura, Y., see Yamamoto, N. (90) 26
 Miyata, S., Tsujioka, H., Itoh, M., Matsunaga,
 W., Kuramoto, H. and Kiyohara, T.
 Time course of Fos and Fras
 expression in the hypothalamic
 supraoptic neurons during chronic
 osmotic stimulation (90) 39
 Moody-Corbett, F., see Fry, M. (90) 135

- Mori, M., see Kawahara, K. (90) 165
 Mori, N., see Kojima, T. (90) 174
 Murai, K., see Kojima, T. (90) 174
- Nakayama, H., see Kawahara, K. (90) 165
 Naruse, Y., see Kojima, T. (90) 174
- Ohsawa, K., see Kawahara, K. (90) 165
 Oyadomari, S., see Kawahara, K. (90) 165
- Parsons, A.A., see Macdonald, R. (90) 48
 Paterno, G., see Fry, M. (90) 135
 Pelczar, H., see Heydel, J.-M. (90) 83
 Perez, F.M., see Finegold, A.A. (90) 17
 Philpott, K.L., see Macdonald, R. (90) 48
- Rajkowski, K.M., see Guennoun, R. (90) 75
 Rogove, J., see Michna, L. (90) 68
 Rossie, S., see Bahl, R. (90) 101
- Sanger, G.J., see Medhurst, A.D. (90) 125
 Schielke, G.P., see Xu, H. (90) 57
 Schumacher, M., see Guennoun, R. (90) 75
 Sergeev, V., Broberger, C. and Hökfelt, T.
 Effect of LPS administration on the
 expression of POMC, NPY, galanin,
 CART and MCH mRNAs in the rat
 hypothalamus (90) 93
 Sidiropoulou, K., Chao, S., Lu, W. and Wolf,
 M.E.
 Amphetamine administration does not
 alter protein levels of the GLT-1 and
 EAAC1 glutamate transporter
 subtypes in rat midbrain, nucleus
 accumbens, striatum, or prefrontal
 cortex (90) 187
- Silverstein, F.S., see Xu, H. (90) 57
 Sobue, K., see Yamamoto, N. (90) 26
 Sun, M., see Yang, T. (90) 1
 Swain, R.A., see Bahl, R. (90) 101
- Tada, T., see Yamamoto, N. (90) 26
 Takahashi, N., see Kojima, T. (90) 174
 Thiriet, N., Jayanthi, S., McCoy, M.,
 Ladenheim, B. and Lud Cadet, J.
 Methamphetamine increases
 expression of the apoptotic c-myc and
 l-myc genes in the mouse brain (90)
 202
- Thompson, K.J., see Bahl, R. (90) 101
 Tsitsikov, E., see Michna, L. (90) 68
 Tsujioka, H., see Miyata, S. (90) 39
- Wagner, G.C., see Michna, L. (90) 68
 Wang, X., see Yang, T. (90) 1
 Waxman, S.G., see Ghassemi, F. (90) 118
 Westmark, C.J. and Malter, J.S.
 Extracellular-regulated kinase controls
 β -amyloid precursor protein mRNA
 decay (90) 193
- Widmer, D.A.J., see Michna, L. (90) 68
 Wolf, M.E., see Sidiropoulou, K. (90) 187
- Xu, H., Barks, J.D.E., Schielke, G.P. and
 Silverstein, F.S.
 Attenuation of hypoxia-ischemia-
 induced monocyte chemoattractant
 protein-1 expression in brain of
 neonatal mice deficient in interleukin-
 1 converting enzyme (90) 57
- Yamada, K., see Yamamoto, N. (90) 26
 Yamamoto, N., Yoneda, K., Asai, K., Sobue,
 K., Tada, T., Fujita, Y., Katsuya, H.,
 Fujita, M., Aihara, N., Mase, M.,
 Yamada, K., Miura, Y. and Kato, T.
 Alterations in the expression of the
 AQP family in cultured rat astrocytes
 during hypoxia and reoxygenation
 (90) 26
- Yang, T., Zhang, G.-r., Zhang, W., Sun, M.,
 Wang, X. and Geller, A.I.
 Enhanced reporter gene expression in
 the rat brain from helper virus-free
 HSV-1 vectors packaged in the
 presence of specific mutated HSV-1
 proteins that affect the virion (90) 1
 Yoneda, K., see Yamamoto, N. (90) 26
- Zhang, G.-r., see Yang, T. (90) 1
 Zhang, W., see Yang, T. (90) 1
 Zhou, R., see Michna, L. (90) 68

